


# SEVENACE

Already famous enterprise import will use

## INK CONTROL SYSTEM TIP2000

Easy ink control



- ◆ No need to manually adjust the ink key, save transfer time
- ◆ Easy to use, easy to get started
- ◆ To save 80% waste inks and paper when adjust paper
- ◆ Printing machine can be used immediately

Save Time

Simple Operate

Save Inks and Paper

Transformation is not required

### Equipment specification

#### Software TIPS2000

|             |   |
|-------------|---|
| Vision      | WINDOWS 8.1 、 WINDOWS 7   |
| CPU         | Intel Core i5 3.0GHz or above   |
| Memory      | 2GB, 3GB or above   |
| Hard disk   | 500GB or above  |
| Slot card   | 1 COM slot<br>1 USB slot  |
| File format |   |
| TIFF        | 1Bit / TIFF, gray scale, CMKY, corresponding compression format (LZW, G4, G3) |
| CIP3        | ppf file  |

#### Hardware FB120P


|                   |  |
|-------------------|--|
| Type              | FB120P   |
| Film Blade length | Maximum 1500mm   |
| A hole distance   | Variable or 1mm  |
| Power             | AC 220 V 2.5A  |
| Dimensions        | H : 183 W : 374 D : 283 (MM)                           |
| Weight            | 15 KG  |
| Punching usage    | 300,000 frequency<br>(suggest 1 year to replace once)  |
| CUTTER USAGE      | 100,000 FREQUENCY<br>(SUGGEST 5 YEARS TO REPLACE ONCE) |

#### Film Blade

|               |                                 |
|---------------|---------------------------------|
| Material      | Professional plastic tape       |
| Dimensions    | Width : 5cm, Length : 100m roll |
| Tube diameter | 3 inch                          |
| Durability    | 1,000,000 times                 |

Intelligent analysis to control the ink required to achieve the provincial ink, save paper, save time, save money and precision punching technology

Operation flow



Design file to transfer 1bit tiff or CIP3 PPF file



1 bit tiff or CIP3 PPF file is converted to FB120P format by "TIP2000" software.



Use punch machine "FB120P" on specific film sheet (FB) to perforate.




Already has the ink control function of specific film


Controlled by the holes in the Film Blade.

Because of [Film Blade] is a kind of specific film. Put the [Film Blade] without hole on the ink tank, cleaning both side of the ink, is simple and convenient.

↓ Ink is controlled by the holes in the Film Blade.



Put FB in the ink tank



Sevenace Group Co., Ltd.

📍 Rm 2001, Tower B, Fengxing Plaza, 242 Tianhe Road Guangzhou, China

☎ Phone : 020-3810 4770 / Fax : 020-3810 4771